JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2012
Volume 102

SUBJECT INDEX

A

Absenteeism, student
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471

Accreditation
Assessment plan for student academic achievement: one college's perspective [Hetherington], 6:529

Achievement, academic
Assessment plan for student academic achievement: one college's perspective [Hetherington], 6:529
Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471
Relationship between student academic and clinical performance in podiatric medical education at Des Moines University [Yoho et al], 4:314
Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446

Acro-osteolysis
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Acrospiroma, eccrine
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247

Adenoma
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247

Amputation
Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review [Schade], 5:396
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273

Analgesia
Clinical efficacy and safety of tapentadol immediate release in the postoperative setting [Daniels and Golf], 2:139
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

Anatomy
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

Anesthesia
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

Ankle
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406

Anthropology
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149

Antibiotic
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223

Arch height
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114

Arteriosclerosis
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Artery
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2012
Volume 102

SUBJECT INDEX

A

Absenteeism, student
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471

Accreditation
Assessment plan for student academic achievement: one college's perspective [Hetherington], 6:529

Achievement, academic
Assessment plan for student academic achievement: one college's perspective [Hetherington], 6:529
Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471
Relationship between student academic and clinical performance in podiatric medical education at Des Moines University [Yoho et al], 4:314
Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446

Acro-osteolysis
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Acrospiroma, eccrine
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247

Adenoma
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247

Amputation
Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review [Schade], 5:396
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273

Analgesia
Clinical efficacy and safety of tapentadol immediate release in the postoperative setting [Daniels and Golf], 2:139
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

Anatomy
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

Anesthesia
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

Ankle
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406

Anthropology
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149

Antibiotic
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223

Arch height
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114

Arteriosclerosis
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Artery
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Arthritis
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334

Arthrodesis
Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13
Management of nonreducible lesser toe interphalangeal dislocation: an unusual injury [Córdoba-Fernández], 3:252

Arthropathy
Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213

Arthroplasty
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334

Assessment
Assessment plan for student academic achievement: one college's perspective [Hetherington], 6:529
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

Atherosclerosis
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

B

Biomaterials
Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities [Lullove], 3:233
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352

Biomechanics
Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259
First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290
Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324
Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406

Bone
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338
Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review [Schade], 5:396
Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334

Book reviews
Review of *Recent Advances in Orthotic Therapy: Improving Clinical Outcomes with a Pathology-Specific Approach* (ed. Scherer) [Phillips], 3:267
Review of *Sarrafian's Anatomy of the Foot and Ankle* (ed. Kelikian) [Bareither], 4:350

Brody's test
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34

C

Calcaneus
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review [Schade], 5:396

Cartilage
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

Collagen
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223

Complex regional pain syndrome
Complex regional pain syndrome of the pediatric lower extremity: a retrospective review [Harris et al], 2:99

Cultural diversity
Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39

Curriculum
A blueprint for an office-based emergencies course [Wald et al], 4:343
Educating the podiatric physician in disaster and emergency preparedness [Levy and Jones], 6:512
An educational model for patient safety and disclosure of medical error in podiatric medicine [Jones and Levy], 6:505
A historical and current analysis for the DPM acquiring an MD or DO degree and an unrestricted medical license [Levy], 2:172
Improving the standardized patient experience [Osbourne], 6:477
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

D

Dancers
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25

Deformity
Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Matrixplasty for the treatment of severe incurved toenail with growth plate deformity [Kim], 3:198
Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Degree, podiatric medical
A historical and current analysis for the DPM acquiring an MD or DO degree and an unrestricted medical license [Levy], 2:172

Dermatophytes
Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169

Diabetes mellitus
Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299
Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

Dislocation
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Management of nonreducible lesser toe interphalangeal dislocation: an unusual injury [Córdoba-Fernández], 3:252

Dorsiflexion
Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290
Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406

Double crush syndrome
Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330

E

Education
Assessment plan for student academic achievement: one college's perspective [Hetherington], 6:529
A blueprint for an office-based emergencies course [Wald et al], 4:343
Can we predict first-time failure on the podiatric boards using an admission screen? [Molnar et al], 6:485
Can we predict 4-year graduation in podiatric medical school using admission data? [Sesodia et al], 6:463
Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499
Educating the podiatric physician in disaster and emergency preparedness [Levy and Jones], 6:512
An educational model for patient safety and disclosure of medical error in podiatric medicine [Jones and Levy], 6:505
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471
A historical and current analysis for the DPM acquiring an MD or DO degree and an unrestricted medical license [Levy], 2:172
Improving the standardized patient experience [Osbourne], 6:477
Information-seeking behaviors of podiatric physicians [Perzeski], 6:451
Lecture capture: enhancing learning through technology at the

Kent State University College of Podiatric Medicine [DiBacco et al], 6:491
Podiatric medical students' perceptions of professionalism in the clinical setting: a qualitative analysis [Parsley and Harris], 6:434
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517
Relationship between student academic and clinical performance in podiatric medical education at Des Moines University [Yoho et al], 4:314
Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39
Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446

E-learning
Lecture capture: enhancing learning through technology at the Kent State University College of Podiatric Medicine [DiBacco et al], 6:491

Emergency medicine
A blueprint for an office-based emergencies course [Wald et al], 4:343
Educating the podiatric physician in disaster and emergency preparedness [Levy and Jones], 6:512

Empathy
Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39

Employment
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57

Entrapment
Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330
Entrapment involving the lateral calcaneal branch of the sural nerve: a case study [Heaslet and Patel], 1:75

Epidemiology
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114

Epigenetics
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149

Epithelioma
Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417

Equinus deformity
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84

Error, medical
An educational model for patient safety and disclosure of medical error in podiatric medicine [Jones and Levy], 6:505

Ethics
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57
Podiatric medical students' perceptions of professionalism in the clinical setting: a qualitative analysis [Parsley and Harris], 6:434

Evolution
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149

Examinations, podiatric board
Can we predict first-time failure on the podiatric boards using an admission screen? [Molnar et al], 6:485
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

F

Fibroblast
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299

Fibrosis, systemic
Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419

First ray
Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412

Flatfoot
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114

Flexor hallucis brevis
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1

Foot posture
Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278

Footprint
Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130

Foot structure
Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130

Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149

Foot type
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278

Footwear
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309

Forefoot
Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Fungus
Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169

G

Gait
Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Genetics
Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149

Gentamicin
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223

Gentamicin-collagen sponge
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223

Gland, sweat
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247

Glucose
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Glycolysis
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Goniometry
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290

Gout
Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334

Grade point average
Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499
Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446

Graft
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352

Growth factor, epidermal
Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89

H

Hallux
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13
Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47
Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Radiographic measurement of the first metatarsal: a new

technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Hallux limitus
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47

Hallux rigidus
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13

Hallux valgus
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Hidradenoma, clear cell
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247

History, medical
A historical and current analysis for the DPM acquiring an MD or DO degree and an unrestricted medical license [Levy], 2:172

Homeless population
Podiatric health needs of homeless populations as a public health concern [Chen et al], 1:54

Hydrogels
Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89

I

Imaging
Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184

Implant
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1

Infection
Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review [Schade], 5:396
Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169

Information resources
Information-seeking behaviors of podiatric physicians [Perzeski], 6:451

Injury
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Entrapment involving the lateral calcaneal branch of the sural nerve: a case study [Heaslet and Patel], 1:75
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25
Management of nonreducible lesser toe interphalangeal dislocation: an unusual injury [Córdoba-Fernández], 3:252
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Intermetatarsal angle
Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105

Ischemia
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

J

Joint
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13
Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290
Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
Management of nonreducible lesser toe interphalangeal dislocation: an unusual injury [Córdoba-Fernández], 3:252
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334
Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406

K

Keratosis
A case of keratosis lichenoid chronica [Baczewski and Albano], 3:264

Ketamine
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

Kidney
Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419

Kinematics
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278

Kinetics
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278

L

Laser
Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169

Learning
Lecture capture: enhancing learning through technology at the Kent State University College of Podiatric Medicine [DiBacco et al], 6:491
Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39

Lecture capture system
Lecture capture: enhancing learning through technology at the Kent State University College of Podiatric Medicine [DiBacco et al], 6:491

Lesion
A case of keratosis lichenoid chronica [Baczewski and Albano], 3:264
Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330
Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338
Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417
Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157
Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184

Licensing
Can we predict first-time failure on the podiatric boards using an admission screen? [Molnar et al], 6:485
A historical and current analysis for the DPM acquiring an MD or DO degree and an unrestricted medical license [Levy], 2:172
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

Lichen planus
A case of keratosis lichenoid chronica [Baczewski and Albano], 3:264

Light, ultraviolet
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309

Limb-length discrepancy
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

M

Matrix, extracellular
Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities [Lullove], 3:233
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299

Matrix, fetal bovine dermal
Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities [Lullove], 3:233

Matrixplasty
Matrixplasty for the treatment of severe incurved toenail with growth plate deformity [Kim], 3:198

Measurement
Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130
Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290
Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Radiographic measurement of the first metatarsal: a new

technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278
Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406

Medial tibial stress syndrome
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205

Medical College Admission Test
Can we predict first-time failure on the podiatric boards using an admission screen? [Molnar et al], 6:485
Can we predict 4-year graduation in podiatric medical school using admission data? [Sesodia et al], 6:463
Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471
Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446

Metalloproteinase, matrix
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299

Metatarsal
Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184

Midfoot
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205

Moral distress
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57

Morphology
Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context [Quinn], 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function [Quinn], 2:149

Muscle
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1

N

Nail
Matrixplasty for the treatment of severe incurved toenail with growth plate deformity [Kim], 3:198
Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169

Navicular
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

Nephropathy
Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419

Nerve
Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330
Entrapment involving the lateral calcaneal branch of the sural nerve: a case study [Heaslet and Patel], 1:75
Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184

Neuroarthropathy
Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213

Neuroma
Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184

Neuropathy
Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330
Entrapment involving the lateral calcaneal branch of the sural nerve: a case study [Heaslet and Patel], 1:75
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

O

Obesity
Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5

Onychocryptosis
Matrixplasty for the treatment of severe incurved toenail with growth plate deformity [Kim], 3:198

Onychomycosis
Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428

Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169

Orthoses
Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278

Osteoarthritis
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

Osteochondritis dissecans
Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

Osteolysis
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Osteomyelitis
Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review [Schade], 5:396
Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273

P

Pain
Clinical efficacy and safety of tapentadol immediate release in the postoperative setting [Daniels and Golf], 2:139
Complex regional pain syndrome of the pediatric lower extremity: a retrospective review [Harris et al], 2:99
Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178

Pediatric population
Complex regional pain syndrome of the pediatric lower extremity: a retrospective review [Harris et al], 2:99
Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259

Pedography
Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130

Pericardium, equine
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352

Peripheral arterial disease
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Pes planus
A cross-disciplinary approach to understanding flatfoot [Ponnapula], 4:319
Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114

Phalanx
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Physician/patient relationship
Improving the standardized patient experience [Osbourne], 6:477
Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39

Pilomatrixoma
Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417

Poroma, eccrine
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247

President's Message
APMA Celebrates Its Enduring Legacy [Caporusso], 5:431
APMA House of Delegates: acceptance address [Caporusso], 3:268
Demolishing health-care disparities [Caporusso], 4:351
Giving thanks [King], 1:83
Team Accountability [Caporusso], 6:536
The only constant is change [King], 2:177

Pressure, plantar
Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84

Profession, podiatric medical
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57
A historical and current analysis for the DPM acquiring an MD or DO degree and an unrestricted medical license [Levy], 2:172
Podiatric medical students' perceptions of professionalism in the clinical setting: a qualitative analysis [Parsley and Harris], 6:434

Pronation
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25

Pseudarthrosis
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78

Psoriasis
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422

Psychology
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57

Public health
Educating the podiatric physician in disaster and emergency preparedness [Levy and Jones], 6:512
Podiatric health needs of homeless populations as a public health concern [Chen et al], 1:54

R

Range of motion
Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47
Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406

Reflex sympathetic dystrophy
Complex regional pain syndrome of the pediatric lower extremity: a retrospective review [Harris et al], 2:99

Research
Information-seeking behaviors of podiatric physicians [Perzeski], 6:451

RNA
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299

S

Safety, patient
An educational model for patient safety and disclosure of medical error in podiatric medicine [Jones and Levy], 6:505

Sarcoma
Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157

Skin
Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities [Lullove], 3:233
A case of keratosis lichenoid chronica [Baczewski and Albano], 3:264
Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417

Special Olympics
Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187

Sports medicine
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Spur, heel
Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422

Standardized patient
Improving the standardized patient experience [Osbourne], 6:477

Stress
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57

Subtalar joint axis
Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122

Supination
Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278

Surfer's toe
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Surgery
Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities [Lullove], 3:233
The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13
Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Clinical efficacy and safety of tapentadol immediate release in the postoperative setting [Daniels and Golf], 2:139
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Management of nonreducible lesser toe interphalangeal dislocation: an unusual injury [Córdoba-Fernández], 3:252
Matrixplasty for the treatment of severe incurved toenail with growth plate deformity [Kim], 3:198
Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359
Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review [Schade], 5:396
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334

T

Talus
Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390

Tapentadol
Clinical efficacy and safety of tapentadol immediate release in the postoperative setting [Daniels and Golf], 2:139

Tarsal tunnel syndrome
Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330

Technology, instructional
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471
Lecture capture: enhancing learning through technology at the Kent State University College of Podiatric Medicine [DiBacco et al], 6:491

Tendon
Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359
Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157

Terrorism
Educating the podiatric physician in disaster and emergency preparedness [Levy and Jones], 6:512

Tibia
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205

Tinea pedis
Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309

Toe
Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256
Management of nonreducible lesser toe interphalangeal dislocation: an unusual injury [Córdoba-Fernández], 3:252
Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359
Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Torsion, talar
Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390

Tumor
Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417
Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157
Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184

Turner syndrome
Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259

Turnout
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25

U

Ulcer
Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities [Lullove], 3:233
Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299
Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223

United States Medical Licensing Examination
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

V

Vascular system
Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

W

Workforce
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57

AUTHOR INDEX

A

Alavi, Abass: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Albano, Brian: A case of keratosis lichenoid chronica [Baczewski and Albano], 3:264

Alexander, Jeffery H.: Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352

Alwahab, Yasir: Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256

Antonopoulos, Kosta: Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446

Augustine, Angelica: Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13

B

Baczewski, Natasha: A case of keratosis lichenoid chronica [Baczewski and Albano], 3:264

Barakat, Mark: Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352

Barbosa, Peter: Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39

Bareither, Daniel: Review of *Sarrafian's Anatomy of the Foot and Ankle* (ed. Kelikian), 4:350

Basu, Sandip: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240

Baze, Erigena: The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1

Becerro de Bengoa Vallejo, Ricardo:
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57
Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359

Beieler, Alison M.: Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273

Beil, Frank Timo: Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

Belknap, Robert W.: Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273

Bhikha, Shamir: Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Bianchi, Antonella: Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157

Bonner, Alexander: Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Borgia, Anthony V.: Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330

Bowen, Joel: Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84

Bowen, Michael: The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1

Branagan, Patrick: The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1

Braun, Karina: Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330

Bruns, Juergen: Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

Bruntz, Merribeth: Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273

C

Campbell, Jackie: Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105

Cancilleri, Francesco: Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78

Caporusso, Joseph M.:
APMA Celebrates Its Enduring Legacy, 5:431
APMA House of Delegates: acceptance address, 3:268
Demolishing health-care disparities, 4:351
Team Accountability, 6:536

Carlson, Russell M.:
Complex regional pain syndrome of the pediatric lower extremity: a retrospective review [Harris et al], 2:99
Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71

Carroll, Gerry: A blueprint for an office-based emergencies course [Wald et al], 4:343

Carter, Robert: Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13

Chen, Bright: Podiatric health needs of homeless populations as a public health concern [Chen et al], 1:54

Chi, Andy: Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Christensen, Finn B.: Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205

Chusid, Eileen D.: Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517

Cimelli, Sonja N.: Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25

Clark, Steven J.: Surfer's toe: trauma-induced idiopathic acroosteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165

Cooper, Kimbal: Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187

Córdoba-Fernández, Antonio: Management of nonreducible lesser toe interphalangeal dislocation: an unusual injury, 3:252

Cranford, Carlton C.: Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324

Crews, Ryan T.: Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130

Cripe, Jane: A blueprint for an office-based emergencies course [Wald et al], 4:343

Curran, Sarah A.:
Influence of turnout on foot posture and its relationship to overuse musculoskeletal injury in professional contemporary dancers: a preliminary investigation [Cimelli and Curran], 1:25
Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290

Curtis, Michael: A blueprint for an office-based emergencies course [Wald et al], 4:343

D

Dancho, James F.: Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417
Daniels, Stephen E.: Clinical efficacy and safety of tapentadol immediate release in the postoperative setting [Daniels and Golf], 2:139
D'Antoni, Anthony V.: Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517
De Mits, Sophie: Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
DeMore, Matthew, III: The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Denaro, Vincenzo:
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157
De Schepper, Joris: Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
DiBacco, Priscilla M.: Lecture capture: enhancing learning through technology at the Kent State University College of Podiatric Medicine [DiBacco et al], 6:491
DiLandro, Anthony C.: Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517
Dobson, Michael: Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256
Durrant, Lara: First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Durrant, Michael N.: First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
Duysens, Jaak: Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18

E

Edmonds, Michael: Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223
Elliott, Craig M., II: Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39
Ezerskiy, Valeriy: Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114

F

Fascione, Jeanna M.: Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130
Fazal, Muhammad Ali:
Interphalangeal joint involvement of the big toe in gout: a rare presentation [Dobson et al], 3:256
Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184
Freed, Lewis: Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419
Freeman, Denise: Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Frykberg, Robert G.: Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84

G

Ganta, Vishnu: Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Gesicki, Marco: Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
Ghannoum, Mahmoud A.: Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Golf, Michael: Clinical efficacy and safety of tapentadol immediate release in the postoperative setting [Daniels and Golf], 2:139
Gooch, David: Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419
Goodman, Brooke A.: Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39
Grady, Angela F.: Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Greenhagen, Robert M.: Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Griffeth, Brian J.: Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Griffiths, Ian B.: Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278
Gross, K. Douglas: Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
Güiza, Israel: Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47
Gupta, Aditya K.: Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428

H

Habermann, Christian R.: Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338
Haffner, Kyle E.: Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178
Hall, Andrew M.: Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178
Hall, Jared: Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Hao, Shao-Yun: Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299
Harris, Edwin J.: Complex regional pain syndrome of the pediatric lower extremity: a retrospective review [Harris et al], 2:99
Harris, Ilene: Podiatric medical students' perceptions of professionalism in the clinical setting: a qualitative analysis [Parsley and Harris], 6:434
Heaslet, Michael: Entrapment involving the lateral calcaneal branch of the sural nerve: a case study [Heaslet and Patel], 1:75
Hetherington, Vincent J.:
Assessment plan for student academic achievement: one college's perspective, 6:529
Lecture capture: enhancing learning through technology at the Kent State University College of Podiatric Medicine [DiBacco et al], 6:491
Hill, Josh: Nephrogenic systemic fibrosis in the podiatric patient [Freed et al], 5:419
Hillstrom, Howard J.: Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
Hoagland, T. M.: Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
Hoffman, Daniel: Surfer's toe: trauma-induced idiopathic acro-

osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165
Hruska, Jerome K.: Double crush syndrome in the lower extremity: a case report [Borgia et al], 4:330

I

Isham, Nancy: Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Izod, Alexander: Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259

J

Jenkins, David W.: Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187
Jenkins, Timothy C.: Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Jensen, Jeffrey: Can we predict first-time failure on the podiatric boards using an admission screen? [Molnar et al], 6:485
Jones, Angela M.: Intrarater and interrater reliability of first metatarsophalangeal joint dorsiflexion: goniometry versus visual estimation [Jones and Curran], 4:290
Jones, Lester J.:
Educating the podiatric physician in disaster and emergency preparedness [Levy and Jones], 6:512
An educational model for patient safety and disclosure of medical error in podiatric medicine [Jones and Levy], 6:505
Jules, Kevin T.: Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359
Jung, Rachel H.: Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213

K

Kaalund, Søren: Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Kadukammakal, John: Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Kajgana, Zarko: Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Keijsers, Noël L. W.: Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Kelly, Luke A.: Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Kersting, Uwe G.: Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Khan, Ishrat: Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184
Kim, J.-Young: Matrixplasty for the treatment of severe incurved toenail with growth plate deformity, 3:198
King, Michael J:
Giving thanks, 1:83
The only constant is change, 2:177
Koenraadt, Koen L. M.: Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Kozol, Zvi: Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406
Kuss, Michael: Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223

L

Laessoe, Uffe: Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
LaLama, Anthony: The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Landsman, Adam S.: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169
Lao, Guojuan: Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Lehmer, Larisa M.: Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165
Levy, Leonard A.:
Educating the podiatric physician in disaster and emergency preparedness [Levy and Jones], 6:512
An educational model for patient safety and disclosure of medical error in podiatric medicine [Jones and Levy], 6:505
A historical and current analysis for the DPM acquiring an MD or DO degree and an unrestricted medical license, 2:172
Lipsky, Benjamin A.: Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223
Long, Lisa: Optimization of an infected shoe model for the evaluation of an ultraviolet shoe sanitizer device [Ghannoum et al], 4:309
Longo, Umile Giuseppe:
Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157
Lootens, Tom: Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
Losa Iglesias, Marta Elena:
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57
Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359
Lowell, Danae L.: Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422
Lufler, Rebecca S.: Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390
Lullove, Eric: Acellular fetal bovine dermal matrix in the treatment of nonhealing wounds in patients with complex comorbidities, 3:233

M

Maffuli, Nicola: Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157
Mahaffey, Ryan: Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259
Mahoney, James M.: Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178
Marineo, Gianluca: Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Marinozzi, Andrea: Pseudarthrosis after percutaneous distal osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
Martin, Billy R.: Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417
Martinelli, Nicolo: Pseudarthrosis after percutaneous distal

osteotomy in hallux valgus surgery: a case report [Martinelli et al], 1:78
McElroy, Tucker: First metatarsophalangeal joint motion in *Homo sapiens:* theoretical association of two-axis kinematics and specific morphometrics [Durrant et al], 5:374
McEwan, Islay M.: Reliability of a new supination resistance measurement device and validation of the manual supination resistance test [Griffiths and McEwan], 4:278
McFadyen, Angus: Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13
Messina, Carlo A.: Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Metcalfe, Stuart: Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Mitchell, Analiza: Podiatric health needs of homeless populations as a public health concern [Chen et al], 1:54
Moghadam-Kia, Siamak: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Mohler, Emile R., III: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Molnar, David:
Can we predict first-time failure on the podiatric boards using an admission screen? [Molnar et al], 6:485
Can we predict 4-year graduation in podiatric medical school using admission data? [Sesodia et al], 6:463
Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471
Moore, Joshua L.: Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178
Morrison, Stewart C.: Evaluating the biomechanics of the pediatric foot in Turner syndrome: a case report [Morrison et al], 3:259
Munuera, Pedro V.: Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47
Mutlu, Hakan: Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Mutluoglu, Mesut: Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369

N

Nawaz, Asad: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Neiderer, Katherine: Pilomatrixoma: an infrequently encountered lesion on the lower extremity [Martin et al], 5:417
Nielsen, Rasmus Gottschalk: Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Niemeier, Andreas: Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338
Niu, Jingbo: Anatomical origin of forefoot varus malalignment [Lufler et al], 5:390

O

O'Connor, Rachel: Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187
Osbourne, Abe: Improving the standardized patient experience, 6:477
Osher, Lawrence S.: Incidental findings of massive heel spurs in a veteran with a variant of psoriatic arthritis [Lowell et al], 5:422

P

Pacocha, Elizabeth: Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Palumbo, Alessio: Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157
Papapietro, Nicola: Synovial sarcoma of the anterior tibialis tendon [Papapietro et al], 2:157
Parsley, Nancy L.: Podiatric medical students' perceptions of professionalism in the clinical setting: a qualitative analysis [Parsley and Harris], 6:434
Patel, Deep: Entrapment involving the lateral calcaneal branch of the sural nerve: a case study [Heaslet and Patel], 1:75
Patel, Rakesh: Surgical reconstruction of severe forefoot derangement in a patient with traumatically acquired contralateral limb-length discrepancy: a case report [Bonner et al], 4:324
Pauk, Jolanta: Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Perzeski, Donna M.: Information-seeking behaviors of podiatric physicians, 6:451
Peterson, Matthew C.: Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178
Phillips, Robert D.: Review of *Recent Advances in Orthotic Therapy: Improving Clinical Outcomes with a Pathology-Specific Approach* (ed. Scherer), 3:267
Ponnapula, Priya: A cross-disciplinary approach to understanding flatfoot, 4:319
Price, Connie S.: Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Putman, David: Lecture capture: enhancing learning through technology at the Kent State University College of Podiatric Medicine [DiBacco et al], 6:491

Q

Quinn, Greg:
Normal genetic variation of the human foot: Part 1: The paradox of normal anatomical alignment in an evolutionary epigenetic context, 1:64
Normal genetic variation of the human foot: Part 2: Population variance, epigenetic mechanisms, and developmental constraint in function, 2:149

R

Rabin, Alon: Weightbearing and nonweightbearing ankle dorsiflexion range of motion: are we measuring the same thing? [Rabin and Kozol], 5:406
Ragsdale, Bruce D.: Surfer's toe: trauma-induced idiopathic acro-osteolysis in the toes of a 46-year-old surfer: a case report [Lehmer et al], 2:165
Raso, James V.: Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Rathleff, Michael Skovdal:
Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Navicula drop test ad modum Brody: does it show how the foot moves under dynamic conditions? [Rathleff et al], 1:34
Ren, Meng: Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299

Reyzelman, Alexander: Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223
Rijckaert, Johan: Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
Robbins, Alan H.: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure: some follow-up observations at 270 days [Landsman and Robbins], 2:169
Rogalski, Miroslaw: Epidemiologic factors affecting plantar arch development in children with flat feet [Pauk et al], 2:114
Rolim, Larissa: Can we predict first-time failure on the podiatric boards using an admission screen? [Molnar et al], 6:485
Roosen, Philip: Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
Rouweyha, Rudy: Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Rüther, Wolfgang: Osteochondritis dissecans of the tarsal navicular bone: a case report [Beil et al], 4:338

S

Saboury, Babak: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Sage, Ronald A.: Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Salvadores Fuentes, Paloma: Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57
Sandhu, Jaytinder: Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Saveli, Carla C.: Successful limb-sparing treatment strategy for diabetic foot osteomyelitis [Beieler et al], 4:273
Schade, Valerie L.: Partial or total calcanectomy as an alternative to below-the-knee amputation for limb salvage: a systematic review, 5:396
Schimka, Katherine E.: Complex regional pain syndrome of the pediatric lower extremity: a retrospective review [Harris et al], 2:99
Sesodia, Sanjay:
Can we predict 4-year graduation in podiatric medical school using admission data? [Sesodia et al], 6:463
Effect of technology on student class performance and class absence [Sesodia and Molnar], 6:471
Shah, Kalpesh: Arthrodesis of the first metatarsophalangeal joint: comparison of three techniques [Shah et al], 1:13
Shaw, Graham P.:
Can we predict 4-year graduation in podiatric medical school using admission data? [Sesodia et al], 6:463
Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499
Shultz, Sarah P.: Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
Sigal, Felix: Topical application of a gentamicin-collagen sponge combined with systemic antibiotic therapy for the treatment of diabetic foot infections of moderate severity: a randomized, controlled, multicenter clinical trial [Lipsky et al], 3:223
Sildiroglu, Onur: Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Simonsen, Ole H.: Dynamic midfoot kinematics in subjects with medial tibial stress syndrome [Rathleff et al], 3:205
Simpson, Fiona: Newly approved laser systems for onychomycosis [Gupta and Simpson], 5:428
Sitler, Michael R.: Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
Smith, Nicholas C.: Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71
Song, Jinsup: Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
Stern, Dean S.: Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Stolwijk, Niki M.: Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Stuck, Rodney M.: Dislocation of the fifth metatarsal base following partial fourth and fifth ray amputation: a case report [Carlson et al], 1:71

T

Tallerico, Valerie: Relationship between student academic and clinical performance in podiatric medical education at Des Moines University [Yoho et al], 4:314
Tallis, Arthur: Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Taylor, Natalie: Radiographic measurement of the first metatarsal: a new technique to improve the accuracy of intermetatarsal angle measurement [Taylor et al], 2:105
Thomas, Cherian: Ultrasonography and magnetic resonance imaging in the diagnosis of Morton's neuroma [Fazal et al], 3:184
Tierney, Edward: Prevalence of equinus in diabetic versus nondiabetic patients [Frykberg et al], 2:84
Tierney, Ryan T.: Consequences of pediatric obesity on the foot and ankle complex [Shultz et al], 1:5
Toomey, Robert J., III: Transformative learning: empathy and multicultural awareness in podiatric medical education [Elliott et al], 1:39
Torigian, Drew A.: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Trager, Jonathan: A blueprint for an office-based emergencies course [Wald et al], 4:343
Tran, David: Podiatric health needs of homeless populations as a public health concern [Chen et al], 1:54
Trent, Kiana: The anatomical location of the flexor hallucis brevis as it pertains to implant arthroplasty [DeMore et al], 1:1
Trepal, Michael J.:
Comparative analysis of moral distress and values of the work organization between American and Spanish podiatric physicians [Losa Iglesias et al], 1:57
Meta-analysis of flexor tendon transfer for the correction of lesser toe deformities [Losa Iglesias et al], 5:359
Psychometric properties and podiatric medical student perceptions of USMLE-style items in a general anatomy course [D'Antoni et al], 6:517
Trujillo, Piedad: Hallux interphalangeal joint range of motion in feet with and without limited first metatarsophalangeal joint dorsiflexion [Munuera et al], 1:47
Turhan, Vedat: Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369

U

Urbas, William: Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Uzun, Gunalp: Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369

V

Van Alsenoy, Ken: Intratest reliability in determining the subtalar joint axis using the palpation technique described by K. Kirby [De Schepper et al], 2:122
van den Wildenberg, Dorine: Effect of a metatarsal pad on the forefoot during gait [Koenraadt et al], 1:18
Vardaxis, Vassilios:
Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Relationship between student academic and clinical performance in podiatric medical education at Des Moines University [Yoho et al], 4:314
Topical ketamine cream in the treatment of painful diabetic neuropathy: a randomized, placebo-controlled, double-blind initial study [Mahoney et al], 3:178
Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446
Velis, Evelio: Can we predict podiatric medical school grade point average using an admission screen? [Shaw et al], 6:499

W

Wald, David A.: A blueprint for an office-based emergencies course [Wald et al], 4:343
Walter, Christian: Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334
Wang, Alvin: A blueprint for an office-based emergencies course [Wald et al], 4:343
Watanabe, Liane: Foot-to-shoe mismatch and rates of referral in Special Olympics athletes [Jenkins et al], 3:187
Wenzel, Ellen: Malignant eccrine acrospiroma: a case report [Wenzel et al], 3:247
Werner, Thomas: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240
Wrobel, James S.: Dynamic footprint measurement collection technique and intrarater reliability: ink mat, paper pedography, and electronic pedography [Fascione et al], 2:130
Wukich, Dane K.: Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Wülker, Nikolaus:
Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334
Wünschel, Markus:
Charcot arthropathy of the first metatarsophalangeal joint [Wünschel et al], 2:161
Surgical treatment of a young patient with bilaterally destroyed first metatarsophalangeal joints suffering from gout [Wünschel et al], 4:334

X

Xie, Xiao-Ying: Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299

Y

Yan, Li:
Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299
Yang, Chuan:
Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299
Yau, Sydney: Assessment of partial first-ray resections and their tendency to progress to transmetatarsal amputations: a retrospective study [Kadukammakal et al], 5:412
Yeager, David A.: Equine pericardium as a biological covering for the treatment of diabetic foot wounds: a prospective study [Alexander et al], 5:352
Yildiz, Senol: Performance of the probe-to-bone test in a population suspected of having osteomyelitis of the foot in diabetes [Mutluoglu et al], 5:369
Yoho, Robert M.:
Peripheral and central bone mineral density in Charcot's neuroarthropathy compared in diabetic and nondiabetic populations [Greenhagen et al], 3:213
Relationship between student academic and clinical performance in podiatric medical education at Des Moines University [Yoho et al], 4:314
Undergraduate GPAs, MCAT scores, and academic performance the first 2 years in podiatric medical school at Des Moines University [Yoho et al], 6:446

Z

Zhang, Liming: Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Zhang, Shaoling: Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Zhou, Yujun: Controlled release of epidermal growth factor from hydrogels accelerates wound healing in diabetic rats [Lao et al], 2:89
Zhu, Ping: Inhibition of matrix metalloproteinase 9 expression in rat dermal fibroblasts using small interfering RNA [Xie et al], 4:299
Zhuang, Hongming: Relation between popliteal-tibial artery atherosclerosis and global glycolytic metabolism in the affected diabetic foot: a pilot study using quantitative FDG-PET [Nawaz et al], 3:240